

DUMP INSERTS

NOTHING WORKS LIKE A DOGG"



B 1946 Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor of driveline components.

Buyers

PROGRESSIVE POWDER CONTING INC Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.

Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.

Boomerang

Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps,

wheel chocks and other rubber truck and trailer accessories

2004

2009

P Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased

demand for products led to the pursuit of supply chain manufacturing solutions.

> 1995 Buyers acquired

Progressive Powder

Tracom

1992 Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art . welding.

Buyers

2002 Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution center.

SnowDogg

2007 Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.

Buyers

2013 Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing

> SaltDogg Buvers

> > 2016 Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab, design, training and prototyping space is dedicated to the research and development of innovative product.



2017 Buyers launches new website with business partner portal, to make online ordering and account maintenance easy for customers.











Our Corporate Family of Companies



Romo*Tech*

PROGRESSIVE POWDER COATING, INC.

Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.





All DumperDogg[®] Features

PRODUCT SPECS

- 20 ft. battery cables
 Tailgate chains with vinyl mesh covers
 Body-up indicator kit (SK10)

2 .	, , , , , , , , , , , , , , , , , , ,				
SPECIFICATION	6 FT STEEL	6 FT STAINLESS STEEL	8 FT STEEL	8 FT STAINLESS STEEL	8 FT POLYMER
Part Number	5531006	5534006	5531000	5534000	5532000
Category	553 (Y)	553 (Y)	553 (Y)	553 (Y)	553 (Y)
Bed Floor Size	48.25" x 78.5"	48.25" x 78.5"	48.25" x 97"	48.25" x 97"	36" x 89.75"
Overall Dimensions (HxWxD)	26" x 72" x 82"	26" x 72" x 82"	26" x 72" x 102"	26" x 72" x 102"	43" x 70" x 101"
Volume Capacity	1.5 cu. yd.	1.5 cu. yd.	2.0 cu. yd.	2.0 cu. yd.	3.1 cu. yd.
Max Payload Capacity*	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.
Weight	920lbs.	988 lbs.	986 lbs.	875 lbs.	1,115 lbs.
Body Construction	Black powder coated 12 Gauge Steel	12 Gauge 304 Stainless	Black powder coated 12 Gauge Steel	12 Gauge 304 Stainless	Double Wall Polymer with integral side extensions
Frame Construction		Black Pow	der Coated Structural St	eel Frame	
Dump Angle	0° – 45°				
Tailgate	Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins				
Lift	Double Acting Scissor Hoist with 3HP Power Unit				
Hydraulics/Cylinder	ler 4-1/2" x 8" Power Up/Power Down Cylinder				
Control Box	Tethered Control Box with 10 ft. Cord				
Lubrication	Grease Holes or Fittings at Pivot Points				
OPTIONAL ACCESSORIES					
Cab Guard	5531010	5534010	5531010	5534010	Included
Side Wall Extensions	5531020	5534020	5531020	5534020	Included
Tarp Kit	DTR5508	DTR5508	DTR5511	DTR5511	DTR4510

*Weight limits not to exceed manufacturers gross vehicle weight limits.



Steel and Stainless Steel Features

• Transform your pickup into a dump truck

- Fits most 6' or 8' beds on trucks rated at 3/4 ton or higher

Lift and dump heavy loads

- Up to 3.5 cubic yard capacity* with a max payload of 6,000 lbs.
- Completely clears truck bed of material with a maximum 45° dump angle

• Get jobs done fast with the power you need

- Double-acting scissor hoist with a 3HP Monarch power unit and 4-1/2 x 8" power up/power down cylinder
- Grease fittings/holes at pivot points
- Control your bed with ease
 - Tethered control box with 10' cord and included in-cab body up indicator kit

Maximize your bed's utility

- Easy to remove, double pivoting tailgate with poly-sleeved tailgate chains
- Manual prop for added bed-up security

Includes

- 20' Battery cables for installation
- 150 Amp circuit breaker (push to trip)
- 3/4" Diameter stainless steel tailgate hitch pins

* with optional sidewall extensions sold separately

	PART NO.	BED LENGTH	VOLUME WITH OPTIONAL SIDEWALL KIT	VOLUME WITHOUT SIDEWALL KIT	MAX PAYLOAD CAPACITY	FRAME MATERIAL
12-ga Steel with Black	5531006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	Black powder-
Powder-coated Finish	5531000	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	coated
12-ga 304 Stainless	5534006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	structural steel
Steel	5534000	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	frame





Double pivoting & removable tailgate



3/4" Diameter stainless steel tailgate hitch pins



Double pivoting & removable tailgate



Power up & power down Monarch power unit with 10' tethered control box



Polymer Features • Transform your pickup into a dump truck

Fits most 8' bed pickups

• Enjoy the strength, durability, and convenience of a poly dump insert

- One-piece double wall poly construction with integral side walls and steel window protector
- Designed to fit a full sheet of plywood or standard pallet
- Poly insert won't rust or corrode-with a payload capacity as high as steel

Lift and dump heavy loads

- Up to 3 cubic yard capacity* with a max payload of 6,000 lbs.
- Completely clears truck bed of material with a maximum 45° dump angle

· Get jobs done fast with the power you need

- Double-acting scissor hoist with a 3HP Monarch power unit and 4-1/2 x 8" power up/power down cylinder
- Grease fittings/holes at pivot points

Control your bed with ease

- Tethered control box with 10' cord and included in-cab body up indicator kit

• Maximize your bed's utility

- Easy to remove, double pivoting tailgate with poly-sleeved tailgate chains
- Manual prop for added bed-up security


Includes

- 20' Battery cables for installation
- 150 Amp circuit breaker (push to trip)
- 3/4" Diameter stainless steel tailgate hitch pins

*with optional sidewall extensions sold separately



Design accommodates standard pallet





3/4" Diameter tailgate hitch pins



Power up & power down Monarch power unit with 10' tethered control box



AND ACCESSORIES

Cab Guards for DumperDogg[®]



Side-Wall Extension Brackets for DumperDogg®



Part No.	Description	Wt. (lbs.)			
5531020	Steel Side-Wall Extension Bracket Kit. 2 Brackets/Side, Hardware Included. (use with Steel Inserts)	15			
5534020	Stainless Steel Side-Wall Extension Bracket Kit. 2 Brackets/Side, Hardware Included. (use with Stainless Steel Inserts)	15			
Muct be up	Much ha used with each guard installed 2' x 12' heard not included				

Must be used with cab guard installed. 2' x 12' board not included.

Roll Tarp Kits for DumperDogg®

2	DTR5511	
Part No.	Description	Wt. (lbs.)
DTR5508	Roll Tarp Kit, 5.4'W x 9.5'L for 6' Steel/Stainless Steel Inserts (Must be used with Cab Guard Installed)	24
DTR5511	Roll Tarp Kit, 5.4'W x 11.5'L for 8' Steel/Stainless Steel Inserts (Must be used with Cab Guard Installed)	25
DTR4510	Roll Tarp Kit, 4.6'W x 10'L for 8' Poly Insert	23

Replacement Tailgate Spreader

		Soutoost - Variable Speed Controller	 Fits all DumperDogg® Dump Inserts All stainless steel construction won't rust or correction 12VDC Spinner Motor 54 AMP/ 620 RPM 12VDC Auger Gear Motor 50 AMP/ 30 RPM/ 1042 Adjustable spread pattern from 4' to 20' of rock stree-flowing granular materials or de-icer chemic Includes in-cab, independent variable spinner spic control & auger control Dual-flight augers (5" 0.D. x 2.4" I.D. x 20"L) wit 14" Poly spinner Overall dimensions 64.5" W x 31" H x 16.5" D Quick and Easy 4-pin installation. 	2 in Ibs. calt, cals ced
Part No.	Description			Wt. (lbs.)
5535000	Tailgate Replacement Spreader			291



www.buyersproducts.com

ScoopDogg

Buy

SaltDogg



SnowDogg

