

2017 LIFTGATE GUIDE

YOUR BEST CHOICE IN LIFTGATES.

2017 v2.4





WALTCO offers the industry's most extensive selection of liftgates, with more than 50 standard models ranging in capacity from 1,250 to 6,600 lbs. Most of our liftgates fall into one of 6 categories, providing delivery solutions for trailers, straight truck, stake body, cube trucks, and walk-in delivery vans.

Below, you will find a quick reference chart of our gates, GATES AT A GLANCE, according to vehicle type and lifting capacity in pounds. The following pages explain each gate in detail. We invite you to review this booklet and see what WALTCO can do for you. At the end of this booklet are some questions to help you select the right gate, as well as our QUICK LIFT PROGRAM chart. WALTCO keeps frequently purchased liftgates in stock to be able to ship the next day, to better serve your needs.

GATES AT A GLANCE

GATE TYPE		LIGHT-DUTY VEHICLE	MEDIUM DUTY VEHICLE	HEAVY DUTY VEHICLE
Flipaway	C-Series	2,000-2,500 lbs.		
	EM Series		2,500-3,300 lbs.	
	EM-TC Series		2,500-3,300 lbs.	
	HLF Series			2,500-5,000 lbs.
	WFL Series		2,500-3,300 lbs.	
Rail-Type	PTN Series	1,250-1,600 lbs.		
	SB Series	1,250-1,600 lbs.		
	DS Series		1,600-3,000 lbs.	
	DT Series		1,600-3,000 lbs.	
	MDL Series	1,250-3,000 lbs.	1,250-3,000 lbs.	
	MDL/HP Series	1,600-3,000 lbs.	1,600-3,000 lbs.	
	RGL Series			3,000-6,000 lbs.
	WDV Series			3,500-6,600 lbs.
Cantilever	WHZ Series	1,300 lbs.		
	Z-100 Series		2,200 lbs.	
	BZ Series		3,300-4,400 lbs.	3,300-4,400 lbs.
Bottled Gas	MDLBG Series	1,600-2,000 lbs.	1,600-2,000 lbs.	
	PTBG Series	1,600 lbs.		
	RBGL Series			3,000-4,000 lbs.
	WDVBG Series			3,500-4,500 lbs.
Slide-Away	GT Series			3,300-4,400 lbs.
	WZ Series			4,400-5,500 lbs.
Side Loader	GTSL Series			3,300-4,400 lbs.
	SG Series	2,000 lbs.		

FLIPAWAY

Flipaway liftgates are welded to the frame of the vehicle chassis. The loading platform is designed with two folding sections. In the stored or travel position, the platform is folded and stored beneath the body floor, allowing access to the cargo area without activating the lift.

C SERIES

2,000 lb., and 2,500 lb. Capacities



Reduced maintenance and original Flipaway design means smoother, hassle-free deliveries.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
C-20 SB	2,000 lbs.	32" x 72"	4"	34" - 45"	535 lbs.
C-20 SB	2,000 lbs.	32" x 84"	4"	34" - 45"	640 lbs.
CW-20 SB	2,000 lbs.	36" x 72"	Wedge	34" - 45"	535 lbs.
CW-20 SB	2,000 lbs.	36" x 84"	Wedge	34" - 45"	640 lbs.
C-20 HB	2,000 lbs.	32" x 72"	4"	46" - 52"	535 lbs.
C-20 HB	2,000 lbs.	32" x 84"	4"	46" - 52"	640 lbs.
CW-20 HB	2,000 lbs.	36" x 72"	Wedge	46" - 52"	535 lbs.
CW-20 HB	2,000 lbs.	36" x 84"	Wedge	46" - 52"	640 lbs.
C-25	2,500 lbs.	36" x 72"	4"	42" - 52"	575 lbs.
CW-25	2,500 lbs.	40" x 72"	Wedge	42" - 52"	575 lbs.

Note: "CW" denotes full-dip wedge style platform models; "SB" denotes standard bed.

EM SERIES

2,500 lb., and 3,300 lb. Capacities



Large, gently sloped platform stows under truck body for easy dock loading.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
EMW-25	2,500 lbs.	44" x 84"	Wedge	36" - 56"	905 lbs.
EMW-25	2,500 lbs.	50" x 84"	Wedge	36" - 56"	930 lbs.
EMW-33	3,300 lbs.	44" x 84"	Wedge	36" - 56"	905 lbs.
EMW-33	3,300 lbs.	50" x 84"	Wedge	39" - 56"	930 lbs.
EMW/AP-25	2,500 lbs.	44" x 84"	Wedge	36" - 56"	855 lbs.
EMW/AP-25	2,500 lbs.	48" x 84"	Wedge	37" - 56"	870 lbs.
EMW/AP-25	2,500 lbs.	50" x 84"	Wedge	39" - 56"	880 lbs.
EMW/AP-33	3,300 lbs.	44" x 84"	Wedge	36" - 56"	855 lbs.
EMW/AP-33	3,300 lbs.	48" x 84"	Wedge	37" - 56"	870 lbs.
EMW/AP-33	3,300 lbs.	50" x 84"	Wedge	39" - 56"	880 lbs.

Note: "EMW" denotes full-dip wedge style platform models.
"AP" denotes Aluminum Platform

EM-TC SERIES

2,500 lb., and 3,300 lb. Capacities



Large, gently sloped platform stows under truck body for easy dock loading.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
EMW-25 TC	2,500 lbs.	44" x 84"	Wedge	36" - 56"	925 lbs.
EMW-25 TC	2,500 lbs.	50" x 84"	Wedge	39" - 56"	950 lbs.
EMW-33 TC	3,300 lbs.	44" x 84"	Wedge	36" - 56"	925 lbs.
EMW-33 TC	3,300 lbs.	50" x 84"	Wedge	39" - 56"	950 lbs.
EMW/AP-25 TC	2,500 lbs.	44" x 84"	Wedge	36" - 56"	875 lbs.
EMW/AP-25 TC	2,500 lbs.	50" x 84"	Wedge	39" - 56"	900 lbs.
EMW/AP-33 TC	3,300 lbs.	44" x 84"	Wedge	36" - 56"	875 lbs.
EMW/AP-33 TC	3,300 lbs.	50" x 84"	Wedge	39" - 56"	900 lbs.

Note: "EMW" denotes full-dip wedge style platform models
"AP" denotes Aluminum Platform; "TC" denotes Twin Cylinders

FLIPAWAY (CONT.)

HLF SERIES

2,500 lb., 3,000 lb., 4,000 lb., and 5,000 lb. Capacities



Lightweight platform, flipaway convenience and flexibility with low maintenance features.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
HLF/AP - 25	2,500 lbs.	60" x 84"	Wedge	46" - 60"	950 lbs.
HLF/AP - 30	3,000 lbs.	60" x 84"	Wedge	46" - 60"	1,000 lbs.
HLF/AP - 40	4,000 lbs.	60" x 84"	Wedge	46" - 60"	1,050 lbs.
HLF/AP - 50	5,000 lbs.	60" x 84"	Wedge	46" - 60"	1,100 lbs.
HLF/APWR - 25	2,500 lbs.	60" x 84"	Wedge	49" - 60"	930 lbs.
HLF/APWR - 30	3,000 lbs.	60" x 84"	Wedge	49" - 60"	980 lbs.
HLF/APWR - 40	4,000 lbs.	60" x 84"	Wedge	49" - 60"	1,030 lbs.
HLF/APWR - 50	5,000 lbs.	60" x 84"	Wedge	49" - 60"	1,080 lbs.

Note: "WR" denotes Walk Ramp
"AP" denotes Aluminum Platform

WFL SERIES

2,500 lb. and 3,300 lb. Capacities



The industry's widest level ride slim line platform Flipaway Liftgate.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
WFL - 25	2,500 lbs.	58" x 82"	9" Fixed	46" - 56"	1,200 lbs.
WFL - 25	2,500 lbs.	58" x 88"	9" Fixed	46" - 56"	1,300 lbs.
WFL - 33	3,300 lbs.	58" x 82"	9" Fixed	46" - 56"	1,200 lbs.
WFL - 33	3,300 lbs.	58" x 88"	9" Fixed	46" - 56"	1,300 lbs.

Note: 82" platform is for 96" wide vehicle and 88" wide platform is for 102" wide vehicle.

RAIL-TYPE MEDIUM DUTY

Railgates have vertical tracks that weld to the rear frame of a pickup truck, service body, stake body, truck body or trailer. The platform travels in these tracks via cables or chains in conjunction with a hydraulic cylinder. In the travel position, the platform stores vertically against the rear door. An option is available for some models to allow storage below the door.

PTN SERIES

1,250 lb., and 1,600 lb. Capacities



Applications: Pick-up trucks. Exclusive above floor options will reach most dock heights.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
PTN-12	1,250 lbs.	24" x 57"	6"	25" - 38"	290 lbs.
PTN-16	1,600 lbs.	30" x 57"	6"	25" - 38"	320 lbs.
PTN-16	1,600 lbs.	36" x 57"	6"	25" - 38"	330 lbs.
PTN/AP-12	1,250 lbs.	24" x 57"	8"	25" - 38"	290 lbs.
PTN/AP-12	1,250 lbs.	38" x 57"	8"	25" - 38"	380 lbs.
PTN/AP-16	1,600 lbs.	38" x 57"	8"	25" - 38"	420 lbs.
PTN/AP-16	1,600 lbs.	44" x 57"	8"	25" - 38"	455 lbs.

Note: All gates have an overall rail width of 61"
Above floor models available for 25"-34" bed heights with a maximum above floor travel of 9"
All 30" or larger platforms have two piece folding platform.
"AP" denotes Aluminum Platform

RAIL-TYPE MEDIUM DUTY (CONT.)

SB SERIES

1,250 lb., and 1,600 lb. Capacities



Applications: Service bodies. Transforms your service body into a multi-purpose vehicle.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
SB-12	1,250 lbs.	30" x 57" or 61"	6"	25" - 46"	310 lbs.
SB-16	1,600 lbs.	36" x 57" or 61"	6"	25" - 46"	372 lbs.
SB/AP-12	1,250 lbs.	30" x 57" or 61"	6"	25" - 46"	290 lbs.
SB/AP-16	1,600 lbs.	30" x 57" or 61"	6"	25" - 46"	360 lbs.
SB/AP-16	1,600 lbs.	36" x 57" or 61"	6"	25" - 46"	372 lbs.
SB/AP-16	1,600 lbs.	42" x 57" or 61"	6"	25" - 46"	385 lbs.

Note: All gates have an overall rail width of 66"; Above floor models are available for 25"-34" bed heights with a maximum above floor travel of 7"
"AP" denotes Aluminum Platform

MDL SERIES

1,250 lb., 1,600 lb., 2,000 lb., and 3,000 lb. Capacities



Wheeled carts, bins, and racks handle easier with this level-ride platform liftgate.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
MDL-12	1,250 lbs.	30" x 89"	6"	30" - 46"	505 lbs.
MDL-12	1,250 lbs.	36" x 89"	6"	30" - 46"	515 lbs.
MDL-16	1,600 lbs.	36" x 89"	6"	30" - 56"	575 lbs.
MDL-20	2,000 lbs.	36" x 89"	6"	30" - 56"	575 lbs.
MDL-20	2,000 lbs.	42" x 89"	6"	30" - 56"	575 lbs.
MDL-30	3,000 lbs.	36" x 89"	6"	30" - 56"	595 lbs.
MDL-30	3,000 lbs.	42" x 89"	6"	30" - 56"	605 lbs.
MDL-30	3,000 lbs.	48" x 89"	6"	30" - 56"	620 lbs.
MDL/AP-12	1,250 lbs.	30" x 89"	6"	30" - 46"	465 lbs.
MDL/AP-12	1,250 lbs.	36" x 89"	6"	30" - 46"	475 lbs.
MDL/AP-16	1,600 lbs.	36" x 89"	6"	30" - 56"	525 lbs.
MDL/AP-16	1,600 lbs.	42" x 89"	6"	30" - 56"	540 lbs.
MDL/AP-16	1,600 lbs.	48" x 89"	6"	30" - 56"	555 lbs.
MDL/AP-16	1,600 lbs.	54" X 89"	6"	30" - 56"	570 lbs.
MDL/AP-16	1,600 lbs.	60" X 89"	6"	30" - 56"	585 lbs.
MDL/AP-20	2,000 lbs.	36" x 89"	6"	30" - 56"	525 lbs.
MDL/AP-20	2,000 lbs.	42" x 89"	6"	30" - 56"	540 lbs.
MDL/AP-20	2,000 lbs.	48" x 89"	6"	30" - 56"	555 lbs.
MDL/AP-20	2,000 lbs.	54" X 89"	6"	30" - 56"	570 lbs.
MDL/AP-20	2,000 lbs.	60" X 89"	6"	30" - 56"	585 lbs.
MDL/AP-30	3,000 lbs.	36" x 89"	6"	30" - 56"	535 lbs.
MDL/AP-30	3,000 lbs.	42" x 89"	6"	30" - 56"	550 lbs.
MDL/AP-30	3,000 lbs.	48" x 89"	6"	30" - 56"	565 lbs.

Note: Above floor models are available for 30"-46" bed heights with a max above floor travel of 10"
"AP" denotes Aluminum Platform

RAIL-TYPE MEDIUM DUTY (CONT.)

MDL/HP SERIES

1,600 lb., 2,000 lb., and 3,000 lb. Capacities



Wheeled carts, bins, and racks handle easier with this level-ride platform liftgate.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
MDL/HP-16	1,600 lbs.	42" x 89"	12"	36" - 56"	555 lbs.
MDL/HP-16	1,600 lbs.	48" x 89"	12"	40" - 56"	570 lbs.
MDL/HP-16	1,600 lbs.	54" x 89"	12"	40" - 56"	595 lbs.
MDL/HP-20	2,000 lbs.	42" X 89"	12"	36" - 56"	555 lbs.
MDL/HP-20	2,000 lbs.	48" X 89"	12"	40" - 56"	570 lbs.
MDL/HP-20	2,000 lbs.	54" X 89"	12"	40" - 56"	595 lbs.
MDL/HP-30	3,000 lbs.	42" X 89"	12"	36" - 56"	565 lbs.
MDL/HP-30	3,000 lbs.	48" X 89"	12"	40" - 56"	580 lbs.
MDL/HP-30	3,000 lbs.	54" X 89"	12"	40" - 56"	610 lbs.

Note: Above floor models are available for 36"-45" bed heights.
All Aluminum Platforms Standard

DS SERIES

1,600 lb., 2,000 lb., and 3,000 lb. Capacities



Applications: Straight trucks, cube, or cut away vans. Provides the convenience of a folding platform that stores at bed height.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
DS-16	1,600 lbs.	36" x 89"	12"	38" - 57"	665 lbs.
DS-20	2,000 lbs.	36" x 89"	12"	38" - 57"	950 lbs.
DS-20	2,000 lbs.	42" x 88"	12"	38" - 57"	975 lbs.
DS-30	3,000 lbs.	42" x 88"	12"	38" - 57"	1,000 lbs.
DS/AP-16	1,600 lbs.	36" x 89"	12"	38" - 57"	665 lbs.
DS/AP-20	2,000 lbs.	36" x 89"	12"	38" - 57"	950 lbs.
DS/AP-20	2,000 lbs.	48" x 88"	12"	38" - 57"	975 lbs.
DS/AP-30	3,000 lbs.	48" x 88"	12"	38" - 57"	1,000 lbs.

Note: Above floor models are available for 38"-47" bed heights with a maximum above floor travel of 11"; All platforms break evenly.
"AP" denotes Aluminum Platform

DT SERIES

1,600 lb., 2,000 lb., and 3,000 lb. Capacities



Applications: Dump trucks and dumping flatbeds. Dual purpose lift can be used as a tailgate for dumping and as a platform to raise and lower material.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
DT-16	1,600 lbs.	36" x 89"	6"	46" - 57"	810 lbs.
DT-20	2,000 lbs.	36" x 89"	6"	46" - 57"	855 lbs.
DT-30	3,000 lbs.	36" x 89"	6"	46" - 57"	890 lbs.

RAIL-TYPE HEAVY DUTY

WDV SERIES

3,500 lb., 4,500 lb., 5,500 lb., and 6,600 lb. Capacities



The market's premier heavy duty liftgate is engineered for your unique challenges and delivery solutions.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
WDV-35	3,500 lbs.	60" x 82"	12" Fixed (steel)	40" - 57"	1,850 lbs.
WDV-35	3,500 lbs.	72" x 82"	12" Fixed (steel)	40" - 57"	2,030 lbs.
WDV-35	3,500 lbs.	84" x 82"	16" Folding (alum.)	40" - 57"	2,055 lbs.
WDV-45	4,500 lbs.	60" x 82"	12" Fixed (steel)	40" - 57"	1,865 lbs.
WDV-45	4,500 lbs.	72" x 82"	12" Fixed (steel)	40" - 57"	2,045 lbs.
WDV-45	4,500 lbs.	84" x 82"	16" Folding (alum.)	40" - 57"	2,074 lbs.
WDV-55	5,500 lbs.	60" x 82"	12" Fixed (steel)	40" - 57"	2,077 lbs.
WDV-55	5,500 lbs.	72" x 82"	12" Fixed (steel)	40" - 57"	2,233 lbs.
WDV-55	5,500 lbs.	84" x 82"	16" Folding (alum.)	40" - 57"	2,389 lbs.
WDV-66	6,600 lbs.	60" x 82"	12" Fixed (steel)	40" - 57"	2,090 lbs.
WDV-66	6,600 lbs.	72" x 82"	12" Fixed (steel)	40" - 57"	2,240 lbs.
WDV-66	6,600 lbs.	84" x 82"	16" Folding (alum.)	40" - 57"	2,400 lbs.

Note: Platform increases to 88" with purchase of 102" wide vehicle option.

RGL SERIES

3,000 lb., 4,000 lb., 5,000 lb., and 6,000 lb. Capacities



Increase productivity with simplified handling of bulky, wheeled, and palletized loads.

Model	Capacity	Platform	Ramp	Bed Height Non-Dock Loading	Bed Height Dock loading	Approx. Wgt.
RGL-30	3,000 lbs.	36" x 90"	6"	36" - 60"	52" - 60"	1,340 lbs.
RGL-30	3,000 lbs.	42" x 90"	6"	36" - 60"	52" - 60"	1,470 lbs.
RGL-30	3,000 lbs.	48" x 90"	BE	36" - 60"	52" - 60"	1,550 lbs.
RGL-30	3,000 lbs.	60" x 90"	12"	36" - 60"	46" - 60"	1,693 lbs.
RGL-30	3,000 lbs.	72" x 90"	12"	36" - 60"	46" - 60"	1,796 lbs.
RGL-40	4,000 lbs.	42" x 90"	6"	36" - 60"	52" - 60"	1,650 lbs.
RGL-40	4,000 lbs.	48" x 90"	BE	36" - 60"	52" - 60"	1,670 lbs.
RGL-40	4,000 lbs.	60" x 90"	12"	36" - 60"	46" - 60"	1,773 lbs.
RGL-40	4,000 lbs.	72" x 90"	12"	36" - 60"	46" - 60"	1,873 lbs.
RGL-50 †	5,000 lbs.	60" x 90"	12"	36" - 60"	46" - 60"	2,258 lbs.
RGL-50 †	5,000 lbs.	72" x 90"	12"	36" - 60"	46" - 60"	2,348 lbs.
RGL-50 †	5,000 lbs.	84" x 90"	BE	36" - 60"	46" - 60"	2,430 lbs.
RGL-60 †	6,000 lbs.	60" x 90"	12"	36" - 60"	46" - 60"	2,300 lbs.
RGL-60 †	6,000 lbs.	72" x 90"	12"	36" - 60"	46" - 60"	2,378 lbs.
RGL-60 †	6,000 lbs.	84" x 90"	BE	36" - 60"	46" - 60"	2,490 lbs.

Note: 42"-48" deep platforms require a minimum 52" bed height for dock loading

BE refers to Butt-End Style Ramp

† RGL 50's and 60's have a max bed level of 58" and they require a rail extension kit when mounted on bed heights above 53"

BOTTLED GAS

The Rail-Type Liftgates for Bottled Gas applications have vertical tracks that weld to the rear frame of a pick-up truck, service body, stake body, truck body, or trailer. The Bottle Gas Liftgates feature steel retention rails that automatically open to the operating position as the liftgate platform opens. The rails automatically fold back down again when the liftgate is returned to the stored position. Platform material is standard with steel diamond floor tread plate with optional aluminum, galvanized steel, expanded metal, or bar grating.

PTBG SERIES

1,600 lb. Capacities



Model	Capacity	Platform	Folding Ramp	Bed Height	Approx. Wgt.
PTBG-16	1,600 lbs.	24" x 57"	12" x 27"	25" - 38"	430 lbs.

Note: Platform width and rail width may vary with make/model of truck.

Pick-up truck application bottled gas gate. Direct-lift chain-style liftgate for maximum load stability.

MDLBG SERIES

1,600 lb., and 2,000 lb. Capacities



Model	Capacity	Platform	Folding Ramp	Bed Height	Approx. Wgt.
MDLBG-16	1,600 lbs.	30" x 89"	16" x 45"	36" - 57"	750 lbs.
MDLBG-16	1,600 lbs.	36" x 89"	16" x 45"	36" - 57"	785 lbs.
MDLBG-20	2,000 lbs.	30" x 89"	16" x 45"	36" - 57"	750 lbs.
MDLBG-20	2,000 lbs.	36" x 89"	16" x 45"	36" - 57"	785 lbs.

Bottled gas is handled easier with this auto fold, level-ride platform liftgate.

RBGL SERIES

3,000 lb., and 4,000 lb. Capacities



Model	Capacity	Platform	Folding Ramp	Bed Height	Bed Height Dock loading	Approx. Wgt.
RBGL-30	3,000 lbs.	36" x 90"	16" x 45"	36" - 60"	50" - 60"	1,630 lbs.
RBGL-30	3,000 lbs.	42" x 90"	16" x 45"	36" - 60"	50" - 60"	1,760 lbs.
RBGL-40	4,000 lbs.	36" x 90"	16" x 45"	36" - 60"	50" - 60"	1,663 lbs.
RBGL-40	4,000 lbs.	42" x 90"	16" x 45"	36" - 60"	50" - 60"	1,810 lbs.

Efficient solution to managing oversized bottled gas loads, on or off dock with ease.

WDVBG SERIES

3,500 lb., and 4,500 lb. Capacities



Model	Capacity	Platform	Folding Ramp	Bed Height	Approx. Wgt.
WDVBG-35	3,500 lbs.	36" x 82"	16" x 45"	40" - 57"	1,550 lbs.
WDVBG-35	3,500 lbs.	42" x 82"	16" x 45"	40" - 57"	1,610 lbs.
WDVBG-45	4,500 lbs.	36" x 82"	16" x 45"	40" - 57"	1,650 lbs.
WDVBG-45	4,500 lbs.	42" x 82"	16" x 45"	40" - 57"	1,710 lbs.

Note: Platform increases to 88" with purchase of 102" wide vehicle option.

Extra advantages for your delivery solution.

SLIDE-AWAY LIFTGATE

Slide-Away liftgates typically bolt to mounting brackets that are welded to the trailer cross-members and are compatible with either roll-up or swing-type doors. The platform slides in and out from underneath the vehicle on stationary tracks. The gate stores completely under the vehicle, does not add to overall vehicle length and is not susceptible to impact damage at loading docks.

GT SERIES

3,300 lb., 4,400 lb., and 5,500 lb. Capacities



Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
GT-33	3,300 lbs.	70" x 80"	12" Folding	45"-64"	1,450 lbs.
GT-33	3,300 lbs.	80" x 80"	12" Folding	45"-64"	1,485 lbs.
GT-44	4,400 lbs.	70" x 80"	12" Folding	45"-64"	1,515 lbs.
GT-44	4,400 lbs.	80" x 80"	12" Folding	45"-64"	1,550 lbs.
GT-55	5,500 lbs.	70" x 80"	12" Folding	45"-64"	1,580 lbs.
GT-55	5,500 lbs.	80" x 80"	12" Folding	45"-64"	1,615 lbs.

Note: 102" wide applications.

Large level ride platform makes it ideal for a wide variety of trailer distribution.

WZ SERIES

4,400 lb., and 5,500 lb. Capacities



Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
WZ-44	4,400 lbs.	71" x 96"	Wedge	44"-53"	1,320 lbs.
WZ-44	4,400 lbs.	79" x 96"	Wedge	44"-53"	1,350 lbs.
WZ-55	5,500 lbs.	71" x 96"	Wedge	44"-53"	1,420 lbs.
WZ-55	5,500 lbs.	79" x 96"	Wedge	44"-53"	1,450 lbs.

A large tilting platform that adjusts for varying grades, puts your cargo on the ground.

CANTILEVER

The tilting platform of a Level Lift liftgate keeps your load level, even on hills. These liftgates are welded or bolted to the frame of the vehicle chassis. The platform closes in an upright position against the rear door of the vehicle. As an option, the platform can double as the vehicle's rear door, providing a weather tight seal.

WHZ SERIES

1,300 lb. Capacity



Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
WHZ-13*	1,300 lbs.	63" x 55"	Wedge	16" - 30"	440 lbs.

Note: *Eligible for Walco's Quick-Lift Program

Take your light duty deliveries to the next level with this convenient folding cargo lift.

CANTILEVER (CONT.)

Z-100 SERIES

2,200 lb. Capacity



Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
Z-100	2,200 lbs.	36" x 93"	Wedge	34" - 43"	500 lbs.
Z-100	2,200 lbs.	47" x 93"	Wedge	34" - 43"	540 lbs.
Z-100	2,200 lbs.	60" x 93"	Wedge	34" - 43"	575 lbs.

Note: 99" wide platform is available for 102" wide vehicle. Please contact factory for information.

Large aluminum platform keeps vehicle weight down while providing ample space to maneuver cargo for deliveries.

BZ SERIES

3,300 lb., and 4,400 lb. Capacities



A large tilting platform that adjusts for varying grades puts your cargo on level ground.

Model	Capacity	Platform	Bed Height	Approx. Wgt.
BZ-33	3,300 lbs.	48" x 94"	44" - 59"	1,105 lbs.
BZ-33	3,300 lbs.	60" x 94"	44" - 59"	1,200 lbs.
BZ-33	3,300 lbs.	72" x 94"	44" - 59"	1,295 lbs.
BZ-33	3,000 lbs.	84" x 94"	44" - 59"	1,330 lbs.
BZ-44	4,400 lbs.	48" x 94"	44" - 59"	1,155 lbs.
BZ-44	4,400 lbs.	60" x 94"	44" - 59"	1,250 lbs.
BZ-44	4,400 lbs.	72" x 94"	44" - 59"	1,345 lbs.
BZ-44	4,400 lbs.	84" x 94"	44" - 59"	1,380 lbs.

Note: Platform may be loaded to full-rated capacity if the cargo is evenly distributed in the forward 48" x 94" area.

SIDE LOADER LIFTGATE

Side loader liftgates are mounted below the side door of a truck body or trailer and can be either frame or body mounted, depending on the application. In the stored or travel position, the platform stores under the body and is either unfolded or extended out from under the door.

GTSL SERIES

3,300 lb., and 4,400 lb. Capacities



waitco's special application rood distribution side-loading gate.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
GTSL-33	3,300 lbs.	70" x 80"	12" Folding	48"-64.75"	1,450 lbs.
GTSL-33	3,300 lbs.	80" x 80"	12" Folding	48"-64.75"	1,485 lbs.
GTSL-44	4,400 lbs.	70" x 80"	12" Folding	48"-64.75"	1,515 lbs.
GTSL-44	4,400 lbs.	80" x 80"	12" Folding	48"-64.75"	1,550 lbs.

SIDE-LOADER (CONT.)

SG SERIES

2,000 lb. Capacity



For Straight Truck Applications Only.

Model	Capacity	Platform	Ramp	Bed Height	Approx. Wgt.
SG-20	2,000 lbs.	32" x 45"	4"	40"-52"	515 lbs.
SG-20	2,000 lbs.	32" x 54"	4"	40"-52"	525 lbs.
SG-20	2,000 lbs.	32" x 72"	4"	40"-52"	535 lbs.
SG-20	2,000 lbs.	32" x 84"	4"	40"-52"	640 lbs.

SELECTING THE RIGHT LIFTGATE

Some important questions to help you select the proper liftgate for your application:

1. What is the floor-to-ground measurement of the vehicle?
2. Are doors roll-up or swing-type? (Some door hardware may be incompatible with some liftgates.)
3. What is the cargo?
4. How large is the cargo? (A platform size consideration.)
5. How much does the cargo weigh? (This will help to determine the proper capacity.)
6. Is a load retention system needed? (Bulky, wheeled, hard to handle cargo may require a retention feature.)
7. What material handling devices will be used while loading/unloading?
8. Are there any dock loading/unloading requirements?
9. How often will the unit be used?
10. Will special conditions like environment necessitate special equipment?
11. What will be the source of your liftgate's power?
12. What is the overall body width (OAW)?

**NEED IT RIGHT AWAY?
WE'LL SHIP IT NEXT DAY...
OR WE PAY THE FREIGHT!**

**Order your liftgate today,
and we'll ship it tomorrow.**



Waltco will ship up to three of our popular liftgate models listed below by the end of the following work day, or we pay the freight. Our Quick-Lift Program is just one more example of how Waltco is committed to prompt, efficient service.

Model	Capacity	Platform	Ramp
C-20 SB	2,000 lbs.	32" x 72"	4"
CW-20 SB	2,000 lbs.	36" x 72"	Wedge
EMW-25	2,500 lbs.	44" x 84"	Wedge
EMW-33	3,300 lbs.	44" x 84"	Wedge
EMW-25	2,500 lbs.	50" x 84"	Wedge
EMW-33	3,300 lbs.	50" x 84"	Wedge
EMW/AP-25	2,500 lbs.	50" x 84"	Wedge
EMW/AP-33	3,300 lbs.	50" x 84"	Wedge
HLF/AP-30	3,000 lbs.	60" x 84"	Wedge
HLF-30 GV	3,000 lbs.	60" x 84"	Wedge
HLF-40 GV	4,000 lbs.	60" x 84"	Wedge
WDV-55	5,500 lbs.	84" x 82"	16"
WDV-55	5,500 lbs.	84" x 88"	16"

When placing your order, please specify that you are ordering with the Quick-Lift program. Otherwise, standard manufacturing lead times will apply.



**FOR MORE DETAILED INFORMATION ON ALL OF OUR LIFTGATES,
PLEASE VISIT WALTCO.COM OR CALL TOLL-FREE 800-211-3074**

Waltco Lift Corp.
T: 800.211.3074
F: 800.211.3075
Email: sales@waltco.com
Web: www.waltco.com

Waltco Lift Corp.
Corporate Office United States
285 Northeast Ave.
Tallmadge, OH 44278
P: 330.633.9191
F: 330.633.1418

Waltco Lift Corp.
United States
620 S Hambledon Ave.
City of Industry, CA 91744
P: 626.964.0990
F: 626.964.0149

Waltco Lift Inc.
Canada
265 Export Blvd.
Mississauga, ON L5S 1Y4
P: 800.982.1632

YOUR BEST CHOICE IN LIFTGATES.

waltco.com



Products shown may feature optional equipment. Content subject to change without notice.